



ELSEVIER  
SAUNDERS

Crit Care Nurs Clin N Am 16 (2004) 571–589

CRITICAL CARE  
NURSING CLINICS  
OF NORTH AMERICA

## Cumulative Index 2004

### Volume 16

March	BURN AND WOUND CARE, pages 1–186
June	OBSTETRIC AND NEONATAL INTENSIVE CARE, pages 187–284
September	ADVANCES IN RESPIRATORY CARE, pages 285–458
December	NUTRITION IN CRITICAL CARE, pages 459–589

Note: Page numbers of article titles are in **boldface** type.

### A

Abdominal compartment syndrome, and burn resuscitation, 83–84

ABO incompatibility, hyperbilirubinemia in, 262–263

Abuse, burn injury from, 18

Acute myocardial infarction (AMI), during pregnancy, case examples, 211–212, 215  
    labor and delivery management in, 217–219  
    causes of, 212–213  
    diagnosis of, 212  
    management of, coronary angiography and  
        percutaneous transluminal angioplasty, 215  
        fibrinolysis in, 213–214  
        pharmacologic, 213–214

Acute respiratory distress syndrome (ARDS), causes of, 425–426  
    characterization of, 319  
    incidence of, 319, 425  
    in inhalation injury, 36  
    pathophysiology of, 425–426  
        stages in, 426  
    in pediatric patient, enteral nutrition in, 429–432  
        feeding of, 425–437  
        malnutrition and, 426–427  
        nutritional assessment of, 427–429  
            biochemical measurements in, 427–428  
            caloric needs in, 428  
            growth assessment in, 427  
            macronutrients in, 428–429  
            micronutrients in, 429  
        nutrition and, 427  
    parenteral nutrition in, 432–433

prone positioning in, 319–336  
    assessment for, 327–328  
    brachial plexus injury prevention in, 330  
    care and monitoring in, 330–332  
    complications of, preventive practices and, 332  
    facial skin injury prevention in, 330–332  
    foot drop prevention in, 330  
    frequency and duration of, 333  
    hemodynamic monitoring in, 332  
    impact on ventilation–perfusion relationships,  
        mechanism of, 321–322  
    pancake or sheet method, 329  
    patient management in, 323, 326–327  
    perfusion distribution in, 321  
    physiologic effects of, 319–321  
    preparation for, 219, 331  
    regional volume distribution in, 320–321  
    specialized beds for, 328–329  
    strategies for, 328–331  
    studies of, since 2000, 324–327  
        1976 to present, 322–323  
        suctioning and oral care in, 332  
        tube feeding and, 332  
        Vollman Prone Positioner for, 229–230

Acute respiratory failure, extubation in, 385–386  
    intubation in, 385–386

Addiction, pharmacologic pain management and, 41–42

Adolescents, burn prevention and, 130–131  
    eating disorders in, 517

Adverse drug reactions, definitions of, 501–502  
    reporting of, 508

African-Americans, maternal mortality in, 228

Airway, breathing, circulation, in burn care, by EMS and and emergency department, 67-68

Airway management, in inhalation injury, 31-32

Airway obstruction, tracheostomy in, 407-408

Airway pressure release ventilation (APRV), adult experience, 337-338  
advantages and challenges of, 338  
in pediatrics, 337-348  
collateral channels in, 342  
derecruitment in, 345  
drop and stretch (Habashi) technique in, 340-341  
euvoolemia and hemodynamics in, 344  
functional residual capacity and, 340-342  
implementation of, 345  
management and weaning in, 340-341  
mean airway pressure in, 343  
methods of, 339-340  
permissive hypercapnia in, 344-345  
recruitment in, 345  
spontaneous breathing in, 344  
tidal volume vs. release volume in, 343-344  
time constants in, varying regional, 343

Albumin, in burn resuscitation, 81-82  
in nutritional assessment, 511, 534-535

Albuterol, in asthma, acute severe, 287

Alloderm, in burn wounds, 5

Allograft, in burn wounds, 4

Aminophylline, in asthma, acute severe, 288

Amniotic fluid embolism (AFE), 221-225  
clinical presentation of, 222-223  
code response in, 224  
diagnosis of, 223  
etiology of, 221  
monitoring and management of, 223-225  
case example of, 225  
mortality rate from, 221  
pathophysiology of, 222

Amniotic membranes, in burn wound covering, 166

Amputation, in burn injury, 173

Anabolic hormones, in burn patient, 142  
in nutritional support, 482-483

Anabolism, 560

Analgesics, nonopiod, in burn pain management, 47

Anesthesia, in labor and delivery, maternal mortality from, 229

Anesthetic agents, in burn pain management, 47-48

Anorexia nervosa, causes of, 517-518  
clinical vignettes of, anorexic athlete, 523  
anorexic male, 523

DSM-IV criteria for, 518

history of, 518

medical complications of, 520-521  
cardiovascular, 521  
fluid/electrolyte anomalies, 521  
gastrointestinal, 521-522  
hematologic, 522  
immediate intervention for, 522  
metabolic, 522  
neurologic, 522  
osteopenia, 522  
skin and hair, 522  
pulmonary, 521

Anthropometric measurements, body mass index, 510  
height, 509-510  
in nutritional assessment, 534  
weight, 510

Antibiotics, in asthma, acute severe, 288  
in COPD, acute, 301-303  
controversy regarding, 302  
four-tiered approach to, 302-303  
studies of, 301-302

Anticholinergics, in COPD, acute, 299-300

Anti-infectives, food interactions with, 504-505

Antimicrobial dressings, in burn wounds, 6-7

Antioxidants, in enhanced enteral formulas, 566

Anxiolytics, in burn pain management, 47

Arginine, in enhanced enteral formulas, 565  
in nutritional support, 475-476

Arterial base deficit, in burn resuscitation, 88-89

Arterial pH, in burn resuscitation, 88

Aspiration, in enteral nutrition, 478-479, 566  
prevention of, Fowler's position in, 349

Aspiration pneumonia, enteral nutrition-related, 478  
gastric intubation-related, 493

Assault, burn injury from, 18

Asthma, acute severe, arterial blood gases in, 287  
clinical presentation in, 286-288  
management of, 285-291  
mechanical ventilation in, 288-289  
pathophysiology of, 285-286  
pharmacologic treatment of, 287-288

physical examination in, 286–287  
physical findings in, 286–288  
pulmonary function testing in, 287

Autografts, in burn wounds, 10

Autonomic nervous system, fetal heart rate and, 236–237

**B**

Barbiturates, for sedation, of intubated pediatric patient, 368

Bariatric patient. See also *Obesity; Obstructive sleep apnea (OSA)*.  
admission to acute care, 496  
clinical dietitian and, 496  
energy needs in, 496–497  
medications and, 496  
nutritional needs of, 495–499  
assessment of, 496–497  
meeting, 497–498  
nutritional screen and, 496  
obstructive sleep apnea in, 311–317

Bariatric surgery, biliopancreatic diversion, 554  
complications of, 316, 555–557  
laparoscopic, 554  
nursing considerations in, 555  
in obesity, 553  
in obstructive sleep apnea, 316  
complications of, 316  
patient selection for, 554–555  
Roux-en-Y gastric bypass, 554  
vertical-banded gastroplasty, 553–554

Baroreceptors, fetal heart rate and, 237–238

Basal energy expenditure (BEE), Harris Benedict equation for, 473–474, 497

Basement membrane, 147

Benzodiazepines, in sedation, of intubated pediatric patient, 367–368

Beta<sub>2</sub> agonist–anticholinergic combination therapy, in COPD, acute, 300

Beta-agonists, in asthma, acute severe, 287

Beta<sub>2</sub> agonists, in COPD, acute, adverse effects of, 297, 299  
dosage forms of, 297  
dosing of, 297–298  
drug interactions with, 299

Beta-blockade, in burn injury, in children, 123

Beta hydroxy beta methyl butyrate (HMB), in nutritional support, 482, 483

Biliary atresia, in newborn, obstructive jaundice from, 264

Binge/purge cycle, 525

Biobrane, burn wound dressing, 5–6

Biopsy, in burn wound evaluation, 154

Biosynthetic dressings, for burn wounds, 5–6, 113

Bleeding, post bariatric surgery, 556

Blood, extravascular, in neonate, hyperbilirubinemia and hemolytic jaundice in, 263

Blood flow, uterine, placental, umbilical, fetal heart rate monitoring and, 236

Blood substitutes, oxygen-carrying, in burn resuscitation, 82

Body mass index (BMI), calculation of, 495  
in nutritional assessment, 510  
in nutrition screening, 460

Body temperature, in burn injury, 124  
in pediatric patient, 124

Bowel obstruction, post bariatric surgery, 556

Bradycardia, fetal, baseline, 239–240  
terminal, 240  
transient, 242

Breastfeeding, neonatal jaundice and, 261, 270

Bronchodilators, in COPD, acute, 295, 297  
adverse effects of, 299

Bulimia nervosa, clinical vignette of recovering bulimic, 523–524  
description of, 519  
DSM-IV criteria for, 519  
history of, 519–520  
medical complications of, 520–521, 524  
gastrointestinal, 521–522  
treatment of, 526

Burn blister, 151  
debridement of, 111–112

Burn camps, for pediatric burn patient, 107–108

Burn care, degree vs. thickness of burn and, 61–62  
EMS and emergency department treatment of, airway, breathing, circulation in, 67–68  
assessment overview in, 62–63  
ECG monitoring in, 66  
escharotomies in, 70–71  
exterior injury, assessment of, 64–66  
fasciotomies in, 70–71  
inhalation injury and, 63–65

intravenous fluids for, 68-69  
in nonaccidental, suspicious burns, 71  
overview of management, 66-67  
pain management, 70  
in special burns, 70-71  
suspicious burns and, 64  
temperature in, 69  
urine output in, 69  
wound care in, 69-70

prehospital and emergency department, 61-73  
skin anatomy and, 61

**Burn injury, body temperature in, 124**  
cardiovascular system in, 121-122  
depth of burn in, 120-121  
edema in, 75-76  
epidemiology of, 13-25  
burn-prone persons and, 16-17  
characteristics of, 18-19  
children and, 17-18  
data sources and systems for, 20, 22  
elderly and, 17  
factors affecting, 14, 16  
home in, 19  
human factors in, 16  
mortality rates in, 15  
nonresidential fires, 20  
occupation and, 18  
prevention and, 22-23  
seasons and, 19  
severity rates in, 13-14  
socioeconomic status in, 19-21  
suicide, abuse, assault in, 18  
survival rates in, 13-14  
gastrointestinal tract in, 123-124  
hematologic changes in, 124  
immunologic responses in, 124-125  
location of, 120  
mechanisms of, 119-120  
mediators and burn shock in, 76-78  
interventions for, 78  
metabolic consequences of, 123, 139-140  
mortality prediction in, 14  
pain in, components of, 39-40  
mechanisms generating, 40-41  
pain management in, 39-49  
phases of, 121  
pain in, 40  
physiologic response to, 119-126  
prevention of, 22-23  
pulmonary system in, 122-123  
renal impairment in, 124  
response to, local, 121  
systemic, 121

**Burn patient, hypermetabolism in, 472**  
inhalation injury in. See *Inhalation injury*  
outpatient management of, 109-117. See also under *Outpatient care*  
pediatric, developmental approach to, 99-108  
burn camps for, 107-108  
burn team role in assessment and intervention planning for, 102  
coping strategies in, 101-102  
corrective surgery for, 105-106  
discharge planning for, 104-105  
healing phase in, 102-103  
nurse's perspective, 100-101  
occupational and physical therapy for, 103-104  
outpatient and follow-up care of, 105  
pain management in, 101-102  
patient perspective, 99-100  
psychosocial challenges and peer support, 106  
school reentry programs, 106

**Burn prevention, 127-138**  
advanced practice nurse role in, 129  
age-related, 130-131  
background of, future implications of, 128-129  
past, 127-128  
present, 128  
of chemical burns, 135  
of contact burns, 134-135  
economics of, 129  
of electrical burns, 135  
emphasis in, 129-130  
of flame burns, 134  
for individuals with disabilities, 131-132  
hearing, 132  
mobility deficits, 132-133  
visual, 132  
for juvenile fire setters, 133  
of lightning burns, 135-136  
promotion of behavior for, 133-135  
promotion of programs for, 136-137  
of radiation burns, 135  
of scalds, 133-134  
seasonal education for, 135-136

**Burn resuscitation, trends in, 75-98**  
abdominal compartment syndrome and, 83-84  
computer models of burn fluid-solute pathophysiology in, 83  
continuous renal replacement therapy in fluid management and metabolic control, 84  
edema formation and, 75-76  
endpoints in, 85-94  
arterial pH and base deficit, 88-89

cardiac preload parameters and transpulmonary indicator dilution, 89–90  
future, 89  
gastric tonometry, 91–92  
global perfusion, 85, 86–87  
heart rate and blood pressure, 86  
mentation, 85  
oxygen transport and pulmonary artery catheters, 88  
serum lactate, 89  
skin color and temperature, 85–86  
tissue oxygenation and perfusion monitoring, 92–94  
urine output, 86  
in fluid resuscitation, 78–82  
  albumin controversy in, 81–82  
  blood substitutes, 82–83  
  calculation of requirement for, 82–83  
  colloids, 81–82  
  crystalloids, 80  
  formulas for, 78–80  
  fresh frozen plasma, 81  
  hypertonic solutions, 8–81  
  Lactated Ringers solution, 80  
hypoperfusion and, 84–85  
intra-abdominal hypertension and, 83–84  
mediators in, 76–77

Burn shock, mediators in, 76–78  
  interventions for, 78

Burn unit, new graduates in, 51–59  
  administrative support of, 56  
  clinical skills of, 52–54  
  evaluation of, 56–58  
  interview process for, 51–52  
  mentorship for, 58  
  orientation needs of, 52–56  
  poor performers, identification of, 57–58  
  postorientation needs of, 58  
  preceptors for, 54–56  
  staff integration and socialization of, 56  
  theory and cognitive skills of, 54

Burn wound, antimicrobial agents for, 6–7  
  assessment and surgical management of, 145–177  
  blister in, 151  
  debridement of, 111–112  
  care of, 1–2  
  by wound types, 9–11  
  cleansing of, 3, 111  
  closure of, 159–164  
  autografts in, application of, 161–162  
  meshed, 161  
  biologic dressings in, 166–167  
  dermal replacements in, 168–169  
  free flaps in, 163–164  
  full-thickness skin flap, 162  
  full-thickness skin grafts for, 159  
  primary excision in, 159  
  skin flaps for, 162  
  skin substitutes in, 164–166  
  and split-thickness graft donor site, 161–162  
  split-thickness skin grafts for, 160  
  temporary coverings for, 166–167  
debridement of, 3–4, 156–159  
depth of, 147–148, 153  
  evaluation of, 110  
dermis and, 146–147  
dressings for, 2–4, 4–7  
  categories of, 4–7  
  selection of, 3  
  in special areas, 8–9  
edema and inflammation and, 150–151  
EMS and emergency department treatment of, 69–70  
eschar in, 151–152  
evaluation of, nonsurgical, 152–156  
graft for, 10–11  
hypobaric treatment for, 7–8  
infected, topical treatment of, 11  
outpatient care of, cleansing in, 111  
  debridement of blisters in, 111–112  
skin anatomy and function and, 145–146  
skin and, 1  
topical ointments for, selection of, 4  
topical therapies for, 1–11  
zones of, 148–151

---

**C**

Cadaver allograft dermis, in skin replacement, in burn wound, 169

Caloric needs, estimation of, 473–474

Calorimetry, indirect, 473

Capnography, 439–440

Carbon dioxide, elimination of, physiology of, 439–440  
  end-tidal (PetCO<sub>2</sub>), in prediction of hypoperfusion, 442–443  
  exhaled (PetCO<sub>2</sub>) measurement of, 439–440  
  monitoring of, 439–445  
  mucosal (PslCO<sub>2</sub>) measurement of, 439–441  
  physiologic deadspace and, 441  
  production of, physiology of, 439  
  sublingual (PslCO<sub>2</sub>), use of, 443–444  
  systemic blood flow measurement of, 440–442

venous and arterial levels of, in decreased blood flow to lungs, 441-442  
in loss of available pulmonary vasculature, 441  
in regional blood flow changes, 442  
ventilation/perfusion disturbance and, 440-441

Carbon monoxide poisoning, 29  
EMS and and emergency department treatment of, 63-64  
hyperbaric oxygen therapy for, 32

Cardiac disease, in infant, nitric oxide for, 252-253

Cardiopulmonary function, during pregnancy, 221-222

Cardiovascular complications, in eating disorders, 521

Cardiovascular function, during pregnancy, adaptations in, 193-194, 216-217  
normal and abnormal, 213

Cardiovascular medications, food interactions with, 505-506

Cardiovascular system, in burn injury, 121-122  
pediatric patient, 122

Catabolism, 560

Central nervous system medications, food interactions with, 506

Central venous line, in total parenteral nutrition, 567

Chemical burn, 120  
dressings for, 9-10  
EMS and and emergency department treatment of, 71  
as occupational hazard, 18  
prevention of, 135

Chemicals, inhalation injury from, 28

Chemoreceptors, fetal heart rate and, 237-238

Children, burn injury to, 17-18  
intubated, agitation in, 365-366  
pain and sedation assessment in, 365  
pain in, physiological indicators of, 365-366  
scales for, 365

Chloral hydrate, in sedation, of intubated pediatric patient, 368

Chronic obstructive pulmonary disease (COPD), acute exacerbation of, antibiotics for, 301-303  
anticholinergics for, 299-300  
 $\beta_2$ -agonist-anticholinergic combination therapy for, 300

bronchodilators for, 295, 297-298  
characterization of, 294  
corticosteroids for, 303-305  
epidemiology of, 294-295  
methylxanthines for, 300-301  
mortality rates in, 295  
mucolytic agents for, 305-306  
pharmacologic therapy for, 293-310  
adverse effects of, 299  
summary of, 296

Cis-atracurium, in sedation, of intubated pediatric patient, 368

*Clostridium difficile* antibiotic infection

*Clostridium difficile* infection, causes and interventions, 547-551  
causes of, 548  
colectomy for, 549  
contact isolation in, 549  
definition of, 547  
development of, 548  
diagnosis of, 548  
diarrhea-associated with, 547  
future trends and research, 550  
prevention of spread, 548-549  
probiotics for, 549  
reservoirs of, 547  
risk factors for, 549  
support group for, 550  
symptoms of, 548  
treatment of, 549

Collagen, 147

Colloids, in burn resuscitation, 81-82  
synthetic, 82

Comfort. See also *Sedation*.  
of intubated pediatric patient, assessment of, 366  
cognitive behavioral techniques for, 370  
physical measures for, 370

Compensatory anti-inflammatory response syndrome (CARS), in multiorgan dysfunction syndrome, 197, 199

Congenital anomalies, ethical dilemmas and, 277-278

Congestive heart failure, during pregnancy, 215

Consensus/Parkland formula. See *Parkland Formula*.

Constipation, enteral feeding-related, 567

Continuous lateral rotational therapy (CLRT), in prevention of ventilator-associated pneumonia, 350-351

Continuous positive airway pressure (CPAP), in weaning trial, 398, 400-401

Continuous renal replacement therapy (CRRT), in fluid management and metabolic control, in burn resuscitation, 84

Cori cycle, 469

Corticosteroids, in asthma, acute severe, 287-288  
in COPD, acute, clinical trials of, 303-305  
drug interactions with, 305  
inhaled, in chronic obstructive pulmonary disease, 295

Crystalloids, in burn resuscitation, 80

Cultured epithelial autografts (CEAs), in burn wound closure, 164-166

**D**

Debridement, of burn wounds, 3-4  
autolytic, 156-157  
chemical, 156  
enzymatic, 113  
mechanical, 156  
surgical (excision), 157-159  
fascial, 159  
of muscle, in burn injury, 173

Deep vein thrombosis (DVT), prophylaxis for, 306

Dependence, pharmacologic pain management and, 41-42

Dermal burns, deep, dressings for, 2

Dextran, in burn resuscitation, 82

Diaphragm, eventration of, in infant, nitric oxide for, 253

Diaphragmatic hernia, in infant, nitric oxide for, 253

Diarrhea, in critically ill patient, 481  
enteral nutrition-related, 478-479, 481, 567

Diet, immunity-enhancing, in burn patient, 142

Dietary intake, in nutritional assessment, 511

Discharge planning, for burn patient, pediatric, 104-105

Donor sites, skin graft, dressings for, 10

Doxapram, in COPD, acute, 306

Dressing(s), for burn wounds, 2-4, 112  
antimicrobial, 6-7  
biologic, 166-167  
biosynthetic, 5-6, 113  
chemical, 9-10  
electrical, 10  
enzymatic debriders in, 113  
hypobaric, 7-9  
synthetic, 6, 167-168  
for donor skin graft sites, 10

Dyes, in burn wound evaluation, 154

**E**

Ears, burn dressing for, 9

Eating disorders, anorexia nervosa.  
See *Anorexia nervosa*.  
behavioral traits in, 517  
binging/purging cycle in, 525  
bulimia nervosa. See *Bulimia nervosa*.  
causes of, genetic, 515-516  
neurochemicals, abnormal levels of, 516  
comorbid conditions in, 524  
cultural issues in, 517  
as dependency-driven behavior, 516  
description of, 515  
development of, 516-517  
emergencies in, 515-530  
emergent complications in, case study of, 527  
food and mood in, 526  
insulin-dependent diabetes mellitus and, 524  
medical complications of, 520-523  
occupational hazards and, 517  
orthorexia, 526  
clinical vignette of, 526-527  
patient prognosis in, 528  
risk for, 515  
types of, 517-518

Edema, in burn injury, 75-76  
burn wound, 150-151  
neurogenic pulmonary, 385

Elderly patient, malnutrition in, 512, 531-536.  
See also *Malnutrition, in elderly patient*.  
nutrition intake in, factors affecting, 532-533

Elderly persons, burn injury to, 17  
burn prevention and, 131

Electrical burn, 120  
dressings for, 10  
EMS and and emergency department treatment of, 71  
prevention of, 135

Electrical injury, escharotomy and fasciotomy in, 172-173

Electrolytes, in burn injury, 122  
in eating disorders, 521

Electronic fetal monitoring (EFM). See also *Fetal heart rate (FHR) monitoring* on ICU, 235-236

Embolism, amniotic fluid, 221-225  
pulmonary, post bariatric surgery, 556

Encephalopathy, bilirubin, neonatal, 264-265

Endocrine medications, food interactions with, 506

Endothelium-derived relaxing factor (EDRF). See *Nitric oxide*.

Endotracheal intubation, in asthma, acute severe, indication for, 288  
neuromuscular blockers for, 289  
sedation for, 288-289  
in inhalation injury, 31-32

Endotracheal tube, ventilator-assisted pneumonia from, 353  
cuff management and, 354  
subglottic secretion accumulation and, 353  
suctioning processes and, 353-354

End-tidal CO<sub>2</sub> (PetCO<sub>2</sub>), measurement of, 439-440  
value in prediction of hypoperfusion, 442-443

Energy needs, in bariatric patient, 496-497  
in ventilator-dependent patient, 497

Enteral nutrition, administration and delivery of, 476-477  
in bariatric patient, 498  
in burn patient, 141-142  
complications of, 478, 535, 566-567  
critical nurse role in, 566  
delivery of, 476  
diarrhea from, 478-479, 481  
in elderly patient, 535  
enhanced versus standard formulas, 565-566  
in head injury, 564  
in hypermetabolic conditions, 475  
formula selection for, 475  
ileus from, 479-480  
medications and, 477  
monitoring of, 480, 482  
nasogastric tubes in, 566  
nurses's role in, 566  
in patient with hyperglycemia, 542  
in pediatric patient, with acute respiratory distress syndrome, 429-432  
delivery of, 431-432

formulas for, designer, 431  
selection of, 429  
standard, 430-431  
selected products and indications, 430

routes for, 476-477  
timing of, 463  
in trauma patient, 564  
timing of, 565

Escharotomies, in burn care, by EMS and emergency department, 70-71

Essential fatty acids, in nutritional support, 476

Ethical decision making, ethical principles for, 274-276  
common good, 275-276  
human rights, 275  
justice, 275  
utilitarian, 275  
virtue, 276

model for, Seven-Step Path to Better Decisions, 276-277

pitfalls in, 274  
questions in, 276

Ethical dilemma, definition of, 274  
in infants and children, grieving parents bill of rights and, 278  
parents' bill of rights and, 277, 279  
protocol for, 278-280

in neonatal intensive care unit, 277-278

in neonates and children, recognition of dilemma, 278  
staff responsibilities in, 278-279

Ethical issues, definitions in, 274  
in neonatal intensive care unit, case of Baby P, 273-274, 280  
on neonatal intensive care unit, 273-280  
pitfalls in ethical decision making and, 274

Ethics, definition of, 274

Evidence-based practice, on neonatal intensive care unit, 245-250  
FOCUS-PDCA model for, 245-250  
act, 249  
check results in  
clarify current knowledge and practice, 246  
developmental care in, 247, 249  
find process to improve, 245  
organize team, 245-246  
plan and do in, 248  
respiratory management in, 246-247  
select process of improvement, 246-247  
thermoregulation in, 246, 248-249  
understand causes of process variations, 246-247

Exchange transfusion, in neonatal jaundice, 269

Extremely low birth weight (ELBW) infant, evidence-based practice and, developmental care of, 247, 249  
  respiratory management in, 246-247  
  thermoregulation in, 246, 248-249

on neonatal intensive care unit, evidence-based practice in, 245-250

Eyes, in burn patient, care of, 169-170

---

**F**

Face, in burn patient, care of, 169, 171

Facial burn, dressing of, 8-9

Fasciotomies, in burn care, by EMS and emergency department, 70-71

Fat metabolism, in stressed patient, 471

Fat overloading, in nutritional support, 463

Fatty acids, in enhanced enteral formulas, 566

Feet, in burn patient, care of, 170-172

Fentanyl, in burn pain management, 47

Fetal heart rate (FHR), basic patterns of, accelerations, 240  
  baseline, 239-240  
  variability in, 240  
  decelerations, early, 240-241  
  late, 241-242  
  prolonged, 242  
  variable, 242  
  nonreassuring, 238-239, 241  
  interventions for, 242-243  
  reassuring, 238  
  characteristics and patterns of, 237  
  interpretation of, uterine activity and, 242  
  physiology of, autonomic nervous system in, 236-237  
  chemoreceptor and baroreceptors in, 237-238  
  vagus nerve in, 237

Fetal heart rate (FHR) monitoring, physiologic basis for, 236-238  
  maternal oxygen status, 236  
  uterine, placental, umbilical blood flow, 236  
  physiology of fetal heart rate and, 236-238

Fetus, assessment of, in intensive care unit, 235-244

Fiberoptic bronchoscopy, in inhalation injury, 30

Fiberoptic laryngoscopy, in inhalation injury, 30-31

Fibrinolitics, in acute myocardial infarction, during pregnancy, 213-214

First-degree burns, dressings for, 2

Fluid, in inhalation injury, 34-35  
  in nutritional support, 462

Fluid/electrolyte complications, in eating disorders, 521

Fluid resuscitation, in burn patient, formulas for, 78-80

Fluorescein fluorometry, in burn wound evaluation, 154-155

Food, and mood, 526

Food and drug interactions, adverse drug reaction and, definitions of, 501-502  
  in critically ill adults, 501-508  
  drug efficacy and, reduced, 502  
  effects of, 502-503  
  mechanisms of, 502  
  nursing implications of, 504-507  
  preventing, 503-507  
    automated systems for, 503  
    communication in, 507  
    drug administration schedules, standardized, 503, 506  
    program for, 503  
    reporting, 507  
    side effect and, definition of, 502

Food records, in nutritional assessment, 511

Foot. See *Feet*.

Fresh frozen plasma, in burn resuscitation, 81

Full-thickness burn (sub-dermal or third- and fourth-degree), 2-3, 121, 147-149, 154

---

**G**

Gallstones, post bariatric surgery, 556

Gastric bypass. See also *Bariatric surgery*.  
  in obstructive sleep apnea, 316

Gastric complications, in enteral feedings, 566-567

Gastric emptying, delayed, enteral nutrition-related, 478, 480

Gastric intubation, assessment and intervention, 489-493  
  complications and interventions in, 492-493  
  complications of, aspiration pneumonia, 493  
    obstruction of feeding tube, 492

oral care in, 492  
tube placement in, assessment of, 491-492  
nasoduodenal and nasojejunal, 490-491  
nasogastric tube, 489-491  
tubes types in, 489-490

Gastric tonometry, in burn resuscitation, 91-92

Gastroesophageal reflux, enteral nutrition-related, 478

Gastrointestinal medications, food interactions with, 506-507

Gastrointestinal leak, post bariatric surgery, 556

Gastrointestinal tract, in anorexia nervosa, 521-522  
in burn injury, 123-124

Gastroparesis, enteral nutrition-related, 478  
management of, 538-539

Glucan II, burn wound dressing, 5-6

Glucogenesis, in hypermetabolic states, 469-470  
in stress hypermetabolism and starvation, 560

Glucose, in hypermetabolic states, 469-470

Glucose-alanine cycle, 469-470

Glucose-6-phosphate dehydrogenase deficiency, hyperbilirubinemia and hemolytic jaundice from, in neonate, 263

Glutamine, in enhanced enteral formulas, 566  
in nutritional support, 476

Glycemic control, benefits of, 539-540  
in burn patient, 142  
versus insulin therapy, 471  
nutritional support and, 541  
strict, in ICU, 537-545

Growth hormone, in nutritional support, 482

Hematologic changes, in anorexia nervosa, 522  
in burn injury, 124

Hemolysis, elevated liver enzymes, and low platelets (HELLP) syndrome, multiorgan dysfunction syndrome and, 201

Hepatitis, neonatal, jaundice from, 264

Hernia, diaphragmatic in infant, nitric oxide for, 253

Hydrogen cyanide, inhalation injury from, 29

Hyperglycemia, gastrointestinal function and, 537-539  
in hypermetabolism, 470-471  
negative consequences of, 537-538  
nutritional support and, 541  
post bariatric surgery, 497  
stress-associated, 470-471  
stress response and, 537  
wound healing and, 539

Hypermetabolism, 560. See also *Stress hypermetabolism*.  
in burn injury, 123, 139-140  
in burn patient, 472  
glucose in, 469-470  
in head trauma, 472  
metabolic derangements in, 469  
in polytrauma, 472-473  
in sepsis, 471-472  
in surgery, 472-473

Hypertonic solutions, in burn resuscitation, 80-81

Hypobaric dressings, in burn wounds, 7-9

Hypothermia, in burn care, by EMS and emergency department, 69  
in burn injury, 124

Hypothyroidism, neonatal, hyperbilirubinemia in, nonhemolytic unconjugated, 263-264

## H

Haloperidol, in sedation, of intubated pediatric patient, 368

Hands, burn dressings of, 9  
in burn patient, care of, 170-172

Harris Benedict equation, for basal energy expenditure, 473-474

Head injury, nutritional support in, 564

Height, in nutritional assessment, 509-510

Height/weight tables, in obesity assessment, 495

## I

Ileus, enteral nutrition-associated, 479-480

Immune function, in nutritional assessment, 511

Immune system, malnutrition effect on, 532-533

Immunization, in chronic obstructive pulmonary disease, 295

Immunologic response, in burn injury, 124-125

Immunonutrition, in hypermetabolic conditions, 475-476

Immunosuppressants, food interactions with, 507

Infants, burn prevention and, 130  
 intubated, pain and sedation assessment in, 365  
 pain in, scales for, 365

Infections, post bariatric surgery, 556

Inhalation injury, 27-38  
 airway management of, 31-32  
 asphyxiants in, 29  
 chemicals and toxins in, 28  
 complications of, 35-36  
 diagnosis of, 29-31  
 clinical assessment, 30  
 interventions for, 30  
 transport considerations and, 30-31

EMS and and emergency department treatment of, 63-65  
 fluid management in, 34-35  
 hyperbaric oxygen therapy for, 32  
 mechanical ventilation in, 33-34  
 mechanism of, 27  
 mortality from, 14, 27  
 nutritional support in, 35  
 pathophysiology of, 28  
 pulmonary system in, 36, 122-123  
 children and, 123  
 types of, 28-29

Insulin-dependent diabetes mellitus (IDDM), in eating disorders, 524

Insulin infusion, Baylor University Medical Center protocol for, 539-541  
 continuous, hypoglycemia with, 540  
 critical care nurse role in, 542-543

Insulin-like growth factor (IGF-1), in nutritional support, 482

Integra, for skin replacement, in burn wounds, 4-5, 168-170

Intensive care unit, fetal assessment on, 235-244  
 pregnant woman on, coordination of care for, 235-236  
 electronic fetal monitoring on, 235-236  
 fetal heart rate and, 236-242  
 unexpected labor or birth, 243

Intensive insulin therapy (ITT), in glycemic control, 470

Intrathoracic blood volume (ITBV), in burn resuscitation, 90

Intravenous fluids, in burn care, by EMS and and emergency department, 68-69

Intubation, in acute respiratory failure, 385-386  
 endotracheal. See *Endotracheal intubation*.

mental status and, 385  
 in myasthenia gravis, 386  
 in neurogenic pulmonary edema, 385  
 weaning of pediatric patient from, 371

Ipratropium, in asthma, acute severe, 287

Ipratropium bromide, in COPD, acute, 299-300  
 adverse effects of, 299-300

Ireton-Jones equation, for energy needs, in trauma, burn, ventilator-dependent patients, 562

Isoimmunization, in pregnancy, 205-209  
 red cell physiology and, 205-206  
 Rh system and, 205-206

---

**J**

Jaundice, neonatal, 259-271

---

**K**

Kernicterus, from bilirubin neurotoxicity, 264-265

Ketamine, in burn pain management, 47  
 in sedation, of intubated pediatric patient, 368

---

**L**

Labor and delivery, in critically ill patient, 243  
 post-myocardial infarction, 216-218

Lactate, in glucogenesis, 469  
 serum, in burn resuscitation, 89

Lactated Ringer's solution, in burn resuscitation, 80

Laser Doppler flowmetry, in burn wound evaluation, 155

Lightning burn, EMS and and emergency department treatment of, 71  
 prevention of, 135-136

Light reflectance, in burn wound evaluation, 155

Lipids, in nutritional support, 462

Long-term mechanical ventilation (LTMV). See also *Mechanical ventilation*.  
 definition of, 375  
 institutional approach to  
 Burns Wean Assessment Program for, 392, 398-399  
 clinical pathway in, 392-393  
 implementation of, 392-398  
 communication and documentation in, 403  
 continuous positive airway pressure weaning trial in, 398, 400-401

data collection and processing in, 403

outcomes manager in, advanced practice nurse as, 392

challenges for, 404

daily routine of, 403-404

qualifications for, 392

role of, 392-398, 403, 405-406

preweaning in, 393-397

rehabilitation in, 394-398

results of outcomes manager project in, 404-406

sedation monitoring in, 405

sedation weaning guidelines in, for bolus and infusion formulations, 401-402

oral pain medications in, 402-403

weaning/extubation in, 393-397

weaning guidelines in, 398, 400-401

tracheostomy in, 408

Lorazepam, in mechanical ventilation, in asthma, 289

Lund and Browder method, in burn evaluation, 110

Lung, cystic adenomatoid malformation of, nitric oxide for, 253

---

**M**

Magnesium, in asthma, acute severe, 288

Magnetic resonance imaging (MRI), in burn wound evaluation, 155-156

Malnutrition, in adults, 459

assessment for, 460

consequences of, 459

in elderly patient, 531-536

age-related changes and, 533-534

enteral nutrition in, 535

factors in, 532

impact of, 531-533

nutritional screening for, 534-535

parenteral nutrition in, 535

risk for, 512

Maternal-fetal medicine (MFM) specialist, as consultant, 188

barriers to, 189

in critical care, 187-191

definition of, 187

in direct care, 188-189

distribution of, 188

education and training of, 187-188

future of, 190

history of, 187

in obstetric care, 187-191

relationship with OB/GYN, 188-190

Maternal mortality, 193

from amniotic fluid embolism, 221

anesthesia-related, 229

from cardiomyopathy, 229

causes of, 193, 228-229

definitions for, 228

from myocardial infarction, 211

pregnancy outcome and, 228-229

as public health issue, 227

race and, 228

rate of, 228

surveillance systems for, 227-228

Mechanical ventilation. See also *Long-term mechanical ventilation (LTMV)*.

in asthma, acute severe, endotracheal intubation, 288-289

goal of, 289

noninvasive, 288

in inhalation injury, 33-34

long-term, 375, 392-406

weaning from. See *Weaning*.

Medications, bariatric patient and, 496

enteral nutrition and, 477

interactions with food. See *Food and drug interactions*.

Mental status, intubation and, 385

Meshed grafts, for burn wounds, 10-11

Metabolic response, to burn injury, 123, 139-140

nutrition needs and, 139-140

Metalloporphyrins, in neonatal jaundice, 269

Methotrexate, in placenta acreta, 231

Methylxanthines, in asthma, acute severe, 288

in COPD, acute, 300-301

adverse effects of, 299-300

drug interactions with, 300-301

Midazolam, in mechanical ventilation, in asthma, 289

Moral distress, in pediatric nurses, following ethical decision making, 278-279

Mortality, maternal, current trends in, 227-230.

See also *Maternal mortality*.

post bariatric surgery, 555-556

Motor activity assessment scale (MAAS), in sedation assessment, 361-362

Mucolytics, in COPD, acute, 305-306

Multiorgan dysfunction syndrome (MODS), in burn patient resuscitation, 84-85

diagnostic criteria for, 200-201

hemodynamic profile in, 201  
mediator formation in, limitation of, 202  
in perinatal patient, **193-204**  
    activator control in, 202  
    definitions of, 195, 197  
    implications of, 202  
    management of, 201-202  
    pathophysiology of, 197  
    perinatal outcomes of, 202-203  
    risk factors for, 201, 203  
    significance of, 195  
    systemic inflammatory response syndrome in, 199-200  
    theories of, single-hit and double-hit, 198-199

Muscle wasting, post bariatric surgery, 497

Musculoskeletal medications, food interactions with, 507

Myasthenia gravis, intubation and extubation in, 386

Myocardial infarction, in obstetric patient, **211-219**.  
    See also under *Acute myocardial infarction (AMI)*.

**N**

Nasoduodenal tube, in enteral nutrition, 490-491

Nasogastric tube, in enteral nutrition, 489-491

Nasojejunal tube, in enteral nutrition, 490-491

Near-infrared spectroscopy, in burn resuscitation, 92, 94

Neonatal intensive care unit, ethical issues on, **273-280**  
    evidence-based practice on, **245-250**

Neonatal jaundice, assessment and diagnosis of, 265-266  
    laboratory testing in, 266-267  
    bilirubin production, metabolism, transport, excretion and, 259-260  
    bilirubin neurotoxicity and, 264-265  
    from breast milk, 261  
    discharge planning and readmission and, 269-270  
        AAP guidelines for, 270  
        breastfeeding and, 270  
    enterohepatic circulation and, 260  
    from hemolytic conditions, 263  
    hyperbilirubinemia and, from hemolytic disease of the newborn, ABO incompatibility in, 262-263  
        Rh incompatibility in, 262  
    hemolytic unconjugated, etiology of, 262  
    pathologic, 261-262  
    physiologic, 260-261  
from hypothyroidism, hyperbilirubinemia in, non-hemolytic unconjugated, 263-264  
in inherited disorders of bilirubin metabolism, 264

Kernicterus in, 264-266  
obstructive, 264  
treatment of, exchange transfusion in, 269  
    pharmacologic, 269  
    phototherapy in, 267-268

Neonate, ethical dilemmas and, 277-278

Neurogenic pulmonary edema, extubation and intubation in, 385

Neuromuscular blockers, in mechanical ventilation, in asthma, 289  
    in sedation, of intubated pediatric patient, 368-369

Nitric oxide, description of, 251  
    discovery of, 251  
    endogenous, 251  
    excretion of, 254  
    inhaled, research on, 254-255  
    in neonatal care, **251-257**  
        for chronic lung disease of newborn, 254  
        for congenital anomalies, 253  
        late persistent pulmonary hypertension after congenital diaphragmatic hernia repair, 254  
        for memory, cognition, neuronal effects, 255  
        for persistent pulmonary hypertension in term or near-term infant, 252  
    for pulmonary hypertension following congenital cardiac disease and cardiac transplantation, 254-255  
    for sickle-cell disease, 255  
    neurotoxicity of, 254  
    nitroglycerin and, 251-252  
    in respiratory failure in premature infant, 252  
    side effects of, 253-254

Nitrogen balance, in trauma patient, 563

Nitroglycerin, mechanism of action of, 251-252

Nitrous oxide inhalation, in burn pain management, 48

Noninvasive positive pressure ventilation (NIPPV), in asthma, acute severe, 288

Nutrition, in bariatric patient, case study of collaborative care, 498-499  
    goals for, 498  
    in critically ill adults, **459-465**  
    monitoring of, 463  
    problems in, post bariatric surgery, 556-557

Nutritional assessment, in acute respiratory distress syndrome, in children, 427-429  
anthropometric measurements in, 509-510  
biochemical, 510-511  
body mass index in, 510  
clinical, 511  
dietary intake in, 511  
factors for, 534  
nutritional risk in, 512  
peripheral body measures in, 510  
psychosocial dimensions in, 511-512  
tools for, 512-513

Nutritional Risk Index (NRI), in nutrition screening, 460

Nutritional status, assessment and value of in critical care, 509-514

Nutritional support, anabolic agents in, 482-483  
assessment for, 460-461  
in hypermetabolism, 460-461  
in burn patient, 139-144  
anabolic hormones and, 142  
enteral, 141-142  
estimation of need for, 140  
goals of, 141-142  
hyperglycemic control and, 142  
hypermetabolism and, 139-140  
immunity-enhancing diets, 142  
parenteral, 141  
in critically ill adults, 459-465  
in critically injured patient, 559-569. See also *Trauma patient*.  
enteral, 463  
essential fatty acids in, 462  
glycemic control and, 541-542  
goals of, 461-462  
in head injury, 564  
in hypermetabolic conditions, 472-473  
caloric needs in, 473-474  
case study of, 483-484  
enteral nutrition, 475  
feeding regimens in, 475  
goal of, 473  
immunonutrition, 475-476  
protein requirements in, 474-475  
water requirements in, 474-475  
in inhalation injury, 35  
key processes in, 459  
measures of, 462  
metabolic response to stress and, 467-487  
post bariatric surgery, 497  
enteral, 498  
hypocaloric formulas for, 497-498  
parenteral, 498

process and outcomes of, 463-464  
protein in, 462  
recovery and transitional diets, 483  
route of, 462  
screening for, 459-460  
timing of, 462-463  
in trauma patient, 563-564  
critical nurse role in, 566-567  
enteral, 564  
parenteral, 563-564  
routes of, 563-564  
timing of, 564-565

## O

Obesity. See also *Bariatric patient; Bariatric surgery; Obstructive sleep apnea (OSA)*.  
complications of, 314  
definitions of, 313, 495, 553  
insulin resistance in, 313-314  
leptin resistance in, 313  
measurement of, 495  
obstructive sleep apnea in, 311-317  
physiologic influences on, 313-314  
physiologic processes and, 496  
prevalence of, 553

Obstetric patient, high-risk, maternal-fetal medicine specialist and, 188-191  
myocardial infarction in, 211-219

Obstetrics, maternal-fetal medicine specialist in, 187-191

Obstructive sleep apnea (OSA), in bariatric patient, 311-317

bariatric surgery for, 316  
behavior modification for, 315  
case history and progress of, 311-313  
dental appliances for, 315-316  
mechanical ventilation for, 314-315  
noninvasive interface devices and, selection and considerations in, 315  
noninvasive positive pressure ventilation for, evaluation of, 315  
definition of, 314  
obesity and, 313-314  
tracheostomy in, 408

Occupational therapy, for burn patient, pediatric, 103-104

Omega 3 fatty acids, in nutritional support, 476

Omega 6 fatty acids, in nutritional support, 476

Opioid agonists, in burn pain management, 45-47

Opioids, concomitant with benzodiazepines, in sedation, of intubated pediatric patient, 367  
in sedation, of intubated pediatric patient, 367

Optical spectroscopy tissue monitoring, in burn resuscitation, 93-94

Optochemical fiberoptic multiparameter sensors (optodes), in burn resuscitation, 93

Oral care, gastric intubation and, 492  
in prevention of ventilator-associated pneumonia, 351  
antibiotic decontamination and, 352  
chlorhexidine and, 352-353  
mechanical interventions, 351-353  
in prone positioning, 332  
and ventilator-assisted pneumonia, 354

Orthorexia, 526  
clinical vignette of, 526-527

Osteopenia, in anorexia nervosa, 522

Outcomes managers. See under *Long-term mechanical ventilation*.

Outpatient care, of burn patient, assessment in, 109-111  
depth of burn in, 110-111  
extent of burn and, 110  
histories in, 109-110  
dressings in, 112-113  
education in, 113-115  
follow-up in, 113  
pediatric, 105  
rehabilitation in, 114-116  
reimbursement for, 116-117  
scar control in, 114-116  
wound care in, 111-112

Overfeeding, in nutritional support, 463  
in trauma patient, 567

Oxandrolone, in nutritional support, 482-483

Oxygen, in asthma, acute severe, 287

**P**

Pain management  
in burn patient, 39-49  
addiction, physical dependence, tolerance issues in, 41-42  
analgesic guidelines for, 46  
anesthetics in, 47-48  
barriers to effective, 42-43  
by EMS and and emergency department, 70  
pain assessment for, 43-45  
pediatric, 101-102  
pharmacologic, 43-47  
in NICU population, 279-280  
presedation therapy in, 364

Palliative care, in NICU population, 279-280

Pancuronium, in sedation, of intubated pediatric patient, 368

Parent education, infant with jaundice, for home phototherapy, 268-269  
in postdischarge assessment, 269-270

Parenteral nutrition, in bariatric patient, 498  
in burn patient, 141  
in elderly patient, 535  
in nutritional support, 482  
in pediatric patient, with acute respiratory distress syndrome, 432-433  
delivery of, 432-433

Parents' bills of rights, 277-279

Parkland formula, for fluid replacement, in burn patient, 78-79  
postburn, 34, 68

Partial-thickness burn (dermal or second-degree), 121, 147-148  
deep, 149  
dressings for, 2

Pediatric patient, with acute respiratory distress syndrome, enteral nutrition in, 429-432  
parenteral nutrition in, 432-433  
intubated, management of, 369-370

Peer support groups, for burn patient, pediatric, 106

Percutaneous dilatational tracheostomy (PDT), 408

Percutaneous transluminal angioplasty (PTCA), with or without stenting, in acute myocardial infarction, during pregnancy, 215

Perinatal patient. See also *Multiorgan dysfunction syndrome (MOD)*.  
multiorgan dysfunction in, 193-204

Peripheral body measures, in nutritional assessment, 510, 513

Persistent pulmonary hypertension (PPHN), after congenital diaphragmatic hernia repair, nitric oxide for, 254  
in term or near-term infant, nitric oxide for, 252

Phenobarbital, in neonatal jaundice, 269

Phototherapy, for neonatal jaundice, in home, 268-269  
in hospital, 267-268

Physical therapy, for burn patient, pediatric, 103-104

Placenta accreta, case study, 231-233  
diagnosis of, 231  
risk factors for, 231  
treatment of, 231

Placenta increta, 231

Placenta percreta, 231

Pneumonia, aspiration, enteral feeding-related, 478, 493  
ventilator-related, 351  
in inhalation injury, 35-36

Polyhydramnios, neonatal, hyperbilirubinemia and hemolytic jaundice in, 263

Porcine allograft, in burn wound, 166-167

Prealbumin, in nutritional assessment, 511, 535

Preeclampsia, multiorgan dysfunction syndrome and, 201

Pregnancy, cardiovascular adaptations to, 193-194  
hemodynamic values in, 198  
high-risk, obstetric team in, 190  
isoimmunization in, 205-207, 205-209  
Rh-negative mother with Rh(D) positive neonate, 207  
RhoGAM and, 207, 208  
laboratory values in, 196-197  
mortality and, 193  
multiorgan dysfunction syndrome in, 195-199  
nonisoimmunized, management of, 207-208  
physiologic adaptations to, 193-195  
normal, 193-194, 221-222  
pulmonary, 193-194  
systemic inflammatory response syndrome in, 199-200

Pregnancy-induced hypertension (PIH), in women with cardiac disease, 215-216

Preschool child, burn prevention and, 130

Pre-term labor (PTL), in women with cardiac disease, 215

Probiotics, 548

Prognostic Nutritional Index (PNI), in nutrition screening, 460

Prone positioning, in ARDS. See under *Acute respiratory distress syndrome (ARDS)*.  
oral care and suctioning in, 332  
for prevention, of ventilator-associated pneumonia, 351

Propofol, in burn pain management, 47-48  
for mechanical ventilation, in asthma, 288-289  
for sedation, of intubated pediatric patient, 368

Protein, determination of need, in trauma patient, 562-563  
metabolism of, in stressed patient, 471  
in nutritional assessment, 534-535  
in nutritional support, 462, 474-475  
synthesis of, in stress hypermetabolism and starvation, 560

Protein-energy malnutrition, 560

Pulmonary artery catheters, in burn resuscitation, 88

Pulmonary embolism, post bariatric surgery, 556

Pulmonary hypertension, following congenital cardiac disease and cardiac transplantation, nitric oxide for, 254-255

---

**R**

Radiation burn, 120  
prevention of, 135

Ramsay scale, in sedation assessment, 360-361

Red cell, physiology in, 205-206

Rehabilitation, outpatient, of burn patient, 114-116

Renal anomalies, nitric oxide for, 253

Renal impairment, in burn injury, 124

Renal system, in eating disorders, 521

Respiratory failure, in premature infant, nitric oxide for, 252

Respiratory medications, food interactions with, 507

Resting energy expenditure (REE), in stress hypermetabolism and starvation, 560

Rh(D) sensitization, incidence of, 206  
pathophysiology of, 206  
Rh immune globulin in, indications for, 207  
weak D in, 206

Rh immune globulin, in Rh(D) sensitization prevention, 207

Rh isoimmunization, hyperbilirubinemia in, 262

RhoGAM (Rh immune globulin), in isoimmunized pregnancy, 207, 208  
controversies regarding, 208-209  
indications for, 207  
viral infections from, 207

Richmond agitation–sedation scale (RASS), in sedation assessment, 362–363

Right ventricular end-diastolic volume index (RVEDVI), in burn resuscitation, 89–90

Rotational therapy, continuous lateral, 350–351  
kinetic, 350  
for prevention, of ventilator-associated pneumonia, 350–351

Rule of Nines, in burn assessment, 65–66, 110

**S**

Scar management, for burn patient, outpatient, 114–116  
pediatric, 105–106

Sedation. See also *Comfort*.  
assessment of, 359–364  
goal of, 366  
in infant and child, BIS noninvasive monitoring system for, 366  
Comfort Scale for, 366  
and comfort. See also *Comfort*.  
in ventilation of pediatric patient, 365–373  
in endotracheal intubation, 288–290  
of intubated pediatric patient, critical pathway in, 370  
evidence-based guidelines for, 370  
goal setting for, 370  
induction and acute phase, 370–371  
management of, environmental strategies, 369–370  
nonpharmacologic strategies, 369  
weaning and prevention of withdrawal in, 369  
patient and family education, 371  
performance improvement issues in, 371–373  
postextubation, 371  
stabilization stage, 371  
staff education for, 371  
weaning to extubation, 371

of ventilated pediatric patient, barbiturates in, 368  
benzodiazepines in, 367–368  
neuromuscular blockers in, 368  
opioids in, 367  
concomitant with benzodiazepines, 367  
pharmacologic, 366–369  
propofol in, 368  
team approach in, 370–372

during ventilation, assessment of, 359–364  
assessment scales for, future needs in, 363–364  
limitations of, 362–363  
motor activity assessment scale, 361–362

Ramsay scale, 360–361

Richmond agitation–sedation scale, 362–363

sedation–agitation scale, 361  
summary of, 363

goals for, 360

Sedation–agitation scale (SAS), in sedation assessment, 361

Sepsis, hypermetabolism in, 471–472  
neonatal, hyperbilirubinemia and hemolytic jaundice in, 263

Serum albumin, in nutritional assessment, 511, 534–535

Serum protein, in nutritional assessment, 534–535

Shock, circulatory, multiorgan dysfunction syndrome following, 202

Sickle-cell disease, nitric oxide for, research on, 255

Side effects, definition of, 502  
types of, 502, 504–507

Silver nitrate, in burn wounds, 7

Silver sulfadiazine, in burn wounds, 7

Skin grafts, in burn wounds, 159–164

Skin substitutes, in burn wounds, 4–5, 168–170

Spinal cord injury, pulmonary management in, 386  
weaning strategies in, 385–387

Spontaneous breathing, in airway pressure release ventilation, in pediatrics, 344  
in weaning from mechanical ventilation, 387

Starches, in burn resuscitation, 82

Starvation, fat metabolism in, 560  
glucogenesis in, 560  
mediator activation in, 560–561  
metabolism in, 560  
protein synthesis in, 560  
resting energy expenditure in, 560

Stomach ulcer, post bariatric surgery, 556

Stress, catabolic response to, 467–468  
fat metabolism in, 471  
metabolic response to, 467–487  
nutritional support and, 467–487  
pathophysiology of, 467–468  
protein metabolism in, 471

Stress hypermetabolism, fat metabolism in, 560  
glucogenesis in, 560  
mediator activation in, 560–561  
protein synthesis in, 560  
resting energy expenditure in, 560  
and starvation, case study of, 560–561

Stress response, hyperglycemia and, 538

Stress starvation, pathophysiology of, 468-469

Stricture, post bariatric surgery, 556

Subdermal plexus, 147

Subjective Global Assessment (SGA), in nutrition screening, 460

Suctioning, of endotracheal tube, ventilator-assisted pneumonia from, 353-354

prone positioning and, 332

of tracheostomy, closed vs. open suction catheter systems, 415-416

Suicide, in burn injury, 18

in eating disorders, 522

Superficial-thickness burn (first-degree burn), 120-121, 147-148

evaluation of, 147-148, 153-154

Surfactant replacement, in inhalation injury, 34

Suspicious burn injury, EMS and emergency department and, assessment of, 64

reporting of, 71

Sympathomimetics, in COPD, acute, 297-299

Synthetic dressings, for burn wounds, 6

Systemic inflammatory response syndrome (SIRS), in burn patient resuscitation, 84-85

in pregnancy, characterization of, 199-200

implications of, 202

perinatal outcomes of, 202-203

physiologic consequences of, 200

risk factors for, 203

**T**

Tachycardia, fetal, baseline, 239

Theophylline, in asthma, acute severe, 288

Thermal burn, 119-120

  inhalation injury in, 29

Thermography, in burn wound evaluation, 155

Tissue hypoxia, in systemic inflammatory response syndrome

Tissue oxygenation and perfusion monitoring, in burn resuscitation, 92-94

Tobacco cessation therapies, in chronic obstructive pulmonary disease, 295

Tolerance, pharmacologic pain management and, 41-42

Total parenteral nutrition (TPN), central venous line in, 567

in elderly patient, 535

in hyperglycemic patient, 541-542

in trauma patient, 563-564

  indications for, 564

Toxins, inhalation injury from, 28

Tracheostomy, in airway obstruction, 407-408

  complications of, prevention of, 412-413

  decannulation of, assessment for, 420

    stoma stents and caps in, 421-422

    timing of, 420

    transition in, 420-421

  definition of, 407

  indications for, 407-408

  lower airway function and, protection of, 414-416

  management of, 412-413

    aspiration and, 418-419

    communication in, 419-420

    speaking valve in, 419

    swallowing and, 419

  patient and family education and, 422

  postoperative care of, bleeding in, 414

    secretion assessment in, 413-414

    tube displacement in, 414-415

    vital signs and gas exchange monitoring in, 413

  suctioning of, closed vs. open suction catheter systems, 415-416

  techniques for, 408

  timing of, 384-385

  upper airway obstruction in, 414

  vs. extubation, 384

Tracheostomy management, issues in, 407-424

Tracheostomy tube(s), changing of, air-filled cuffs and, 417

  cuff inflation and, 416-417

  tracheostomy type and, 418

  tube size and, 418

  characteristics of, common, 409

  cuff deflation and, 420

  cuffed, 410-411

  cuffless, 409-411

  disposable inner cannulas in, 409

  fenestrated, 412

  foam cuff, 411

  materials for, 408-409

  obturators in, 410

  parts of, 409

  for percutaneous dilatation procedures, 411-412

  specialized, 412

  talking tube, 419-420

Tracheotomy, definition of, 407  
in inhalation injury, 32

TransCyte, for burn wounds, 5

Transferrin, in nutritional assessment, 535

Transpulmonary indicator dilution (TPID), in burn resuscitation, 89-90

Trauma, costs of, 559

Trauma patient, case study of, estimated energy needs in, 562  
fluid demand in, 563  
ideal body weight in, 562  
nitrogen balance and, 563  
nutritional assessment in, 561-562  
nutritional support in, routes for, 563-564  
protein need determination in, 562-563  
nutritional support of, definitions in, 560  
historical perspective on, 559-560  
starvation and, 560-561  
stress hypermetabolism and, 560-561

**U**

Ultrasound, in burn wound evaluation, 154

Underfeeding, in trauma patient, 567

Urine output, in burn care, by EMS and and emergency department, 69

**V**

Vagus nerve, fetal heart rate and, 237

Vecuronium, in sedation, of intubated pediatric patient, 368

Ventilator-associated pneumonia (VAP), definition of, 349  
gastrointestinal risk factors for, 354  
prevention of, 349-350  
airway management in, 353-354  
backrest elevation in, 350-351  
Fowler's position in, 349  
oral health in, 351-353  
patient position in, 349-351, 354  
prone positioning and, 332  
prone positioning in, 351  
rotational therapy in, 350-351  
turning in, 350  
reduction of, recommendations for, 354-355

Vitamin C, in nutritional support, 476

Vitamin E, in nutritional support, 476

**W**

Water, in nutritional support, 474-475

Weaning, 375-382  
from airway pressure release ventilation, in pediatrics, 340-341  
from intubation, of pediatric patient, 371  
from long-term mechanical ventilation, institutional approach to, 391-406  
from mechanical ventilation, cause of respiratory failure and underlying disease in, 377  
clinical pathways in, 379  
conditioning system in, 378  
intermittent mandatory ventilation, 377-378  
modes for, 377-378  
point-in-time vs. serial testing of readiness for, 376-377  
prediction of timing for, 375-377  
pressure support in, 377-378  
protocols for, 378-379  
pulmonary specific indices for, 377  
system initiatives in, 379-380  
teams in, 379

of neurologically impaired patient, 383-389  
airway protection and, 383-385  
with decreased mental status, 385  
extubation versus tracheostomy placement, 384-385  
with Guillain-Barré syndrome, 386-387  
mental status and, 383-384  
with myasthenia gravis, 386  
with neurogenic pulmonary edema, 385  
with neuromuscular weakness, 385-386  
in spinal injury, confirmed or suspected, 385-387  
success of, Glasgow Coma Scale and, 383  
timing of, 384-385

Weight, in nutritional assessment, 510

Weight loss surgery. See also *Bariatric surgery*. complications of, 553-557

Wound healing, hyperglycemia and, 539

**Y**

Young adults, burn prevention and, 131

**Z**

Zinc, in nutritional support, 476

Zolpidem, in sedation, of intubated pediatric patient, 368